

# Sliding and Roll-up Doors



BIRD SCREEN  
DOORS

INSECT SCREEN  
DOORS

VINYL DOORS

WIRE SCREEN  
DOORS



ELIASON®

# Eliason® EasyShield™

## Eliason EasyShield Sliding & Roll-up Doors

Eliason EasyShield roll-up and sliding doors are an excellent choice for applications requiring a secondary door that allows ventilation while providing a deterrent to insects, birds, and unwelcome personnel. Eliason EasyShield doors are designed to be easy to use, and can be mounted on the exterior, or interior of the building in conjunction with another door. Our casing mounted option is the perfect solution for installation on metal buildings or in front of coiling steel doors.

### **Eliason EasyShield Roll-up Doors**

Eliason EasyShield roll-up doors use a 1" x 4" heavy duty extruded aluminum vertical track system, which can be mounted face of wall, in jamb, inside standoff, or using our casing mounted option. Both in-jamb and inside standoff use strips of vinyl coated nylon material or brush seals to completely enclose the header and sides. The track guide has a slight angle at the top to provide dependable operation. When required, an optional exterior wall mount protective hood is available.

EasyShield door panels are available with a woven vinyl mesh to prevent birds or insects from entering the building. An optional woven wire mesh is also available to deter trespassing and reduce pilferage. Solid vinyl doors are a cost effective solution for sealing out dust, pollution and contaminants, and help maintain temperature differential between areas. Roll-up panels come standard with 3/4" fiberglass stiffeners in bright yellow pockets, as well as a weighted bottom balloon seal. In high wind load applications an optional 1" diameter metal tube is available along with additional weights and a lockable bottom bar.

All Eliason Easy Shield roll-up doors can be motor operated. Smaller and low cycle doors can be equipped with an in-tube motor. Large doors, and applications with higher usage can be equipped with a heavy duty, 1/2 HP operator. Single and three phase voltage models are available. Manual doors are available with a chain hoist or torsion spring system.




### **Eliason EasyShield Sliding Doors**

Eliason EasyShield sliding doors feature a 16 gauge galvanized track and 1" nylon rollers. The track system can be mounted face of wall, in-jamb, inside standoff or casing mounted and use either a vinyl flap or brush seals to enclose the header and sides of the door. When required, an optional exterior wall mount protective hood is available. Eliason EasyShield sliding doors are available with encapsulated woven polyester mesh or solid vinyl. Vertical stiffeners are constructed with 1" x 2" steel tubes and enclosed in a vinyl nylon pocket. The door opens and closes easily with pull handles and mechanical closures. A positive lock is standard, cane bolts are optional.

# Sliding and Roll-up Doors

## Eliason® EasyShield™ Insect and Bird Screen Door

- Available in sliding or roll-up door configurations
- Insect doors utilize 17 x 11 scrim count plain weave and 11.7 oz. per square yard durable vinyl encapsulated woven polyester mesh
- The bird mesh standard material, available in blue, utilizes a special oval shape weave with 9 holes per sq. inch and 15 oz. per sq. yard material
- Woven polyester mesh is resistant to mildew and fading
- Black and yellow stripes are standard on the interior side of the vertical channels



## Eliason EasyShield Solid Vinyl Doors

- Available in sliding or roll-up door configurations
- Doors are constructed with a durable 22 oz. vinyl coated nylon material
- Optional 40 oz. material is also available
- Fade resistant vinyl panels can be washed down
- Optional vision panel is constructed with clear PVC vinyl and is the full width of the panel
- Black and yellow stripes are standard on the interior side of the vertical channels

## Eliason EasyShield Wire Screen Door

- The wire mesh comes standard in 15 ga. aluminum with a 1/2" weave
- Optional wire mesh is available in 18 ga. aluminum with 1/4" weave, 16 ga. stainless steel with 1/2" weave, or 19 gauge stainless steel with 1/4" weave
- Black and yellow stripes are standard on the interior side of the vertical channels
- All wire mesh doors come standard with an external LiftMaster operator, manual operation is not recommended



## Available Colors for Insect and Vinyl Doors:



Colors may vary, contact Eliason for an exact color match.

# Eliason. A Legacy of Quality.

## Quality.

Every company claims to provide it—and the word means something different to each customer. At Eliason, we know quality comes in many forms, and we aspire to offer it at every level of our business operation.

## Attention to Our Customers.

We know that a quality product alone doesn't ensure our customer's success. So we listen and pay close attention to our customer's needs and requirements, partner in the product development process and respond promptly to inquiries and questions.

## Experience.

Eliason is one of the world's most specified door brands. Our experienced craftsman engineers build our doors to the highest specifications and perform unprecedented testing to insure quality. Our customer relationships have continued for as long as 60 years. Once you utilize our products, you'll experience our commitment to your success.



## Why Choose Eliason?

Our focus is on improving your bottom line. Eliason door solutions will positively impact your key business objectives. We can help you improve your facility, reduce energy and labor costs and provide increased safety of your products and employees.



**Over 60 Years Strong • [www.eliasoncorp.com](http://www.eliasoncorp.com) • (800) 828-3655**

9229 SHAVER ROAD, KALAMAZOO, MI 49024 • FAX (800) 828-3577

